IHS Economics Series Working Paper 139 September 2003

On the Evolutionary Edge of Altruism: A Game-Theoretic Proof of Hamilton's Rule for a Simple Case of Siblings

Oded Stark You Qiang Wang





INSTITUT FÜR HÖHERE STUDIEN INSTITUTE FOR ADVANCED STUDIES Vienna



Impressum

Author(s):

Oded Stark, You Qiang Wang

Title:

On the Evolutionary Edge of Altruism: A Game-Theoretic Proof of Hamilton's Rule for a Simple Case of Siblings

ISSN: Unspecified

2003 Institut für Höhere Studien - Institute for Advanced Studies (IHS)

Josefstädter Straße 39, A-1080 Wien <u>E-Mail: office@ihs.ac.at</u> Web: <u>www.ihs.ac.at</u>

All IHS Working Papers are available online: <u>http://irihs.ihs.ac.at/view/ihs_series/</u> This paper is available for download without charge at: https://irihs.ihs.ac.at/id/eprint/1513/

139 Reihe Ökonomie Economics Series

On the Evolutionary Edge of Altruism: A Game-Theoretic Proof of Hamilton's Rule for a Simple Case of Siblings

Oded Stark, You Qiang Wang

139 Reihe Ökonomie Economics Series

On the Evolutionary Edge of Altruism: A Game-Theoretic Proof of Hamilton's Rule for a Simple Case of Siblings

Oded Stark, You Qiang Wang

September 2003

Institut für Höhere Studien (IHS), Wien Institute for Advanced Studies, Vienna

Contact:

Oded Stark University of Bonn Walter-Flex-Strasse 3 D-53113 Bonn, GERMANY email: ostark@uni-bonn.de and University of Vienna

You Qiang Wang Tsinghua University

Founded in 1963 by two prominent Austrians living in exile – the sociologist Paul F. Lazarsfeld and the economist Oskar Morgenstern – with the financial support from the Ford Foundation, the Austrian Federal Ministry of Education and the City of Vienna, the Institute for Advanced Studies (IHS) is the first institution for postgraduate education and research in economics and the social sciences in Austria. The **Economics Series** presents research done at the Department of Economics and Finance and aims to share "work in progress" in a timely way before formal publication. As usual, authors bear full responsibility for the content of their contributions.

Das Institut für Höhere Studien (IHS) wurde im Jahr 1963 von zwei prominenten Exilösterreichern – dem Soziologen Paul F. Lazarsfeld und dem Ökonomen Oskar Morgenstern – mit Hilfe der Ford-Stiftung, des Österreichischen Bundesministeriums für Unterricht und der Stadt Wien gegründet und ist somit die erste nachuniversitäre Lehr- und Forschungsstätte für die Sozial- und Wirtschaftswissenschaften in Österreich. Die **Reihe Ökonomie** bietet Einblick in die Forschungsarbeit der Abteilung für Ökonomie und Finanzwirtschaft und verfolgt das Ziel, abteilungsinterne Diskussionsbeiträge einer breiteren fachinternen Öffentlichkeit zugänglich zu machen. Die inhaltliche Verantwortung für die veröffentlichten Beiträge liegt bei den Autoren und Autorinnen.

Abstract

We offer a game-theoretic proof of Hamilton's rule for the spread of altruism. For a simple case of siblings, we show that the rule can be derived as the outcome of a one-shot prisoner's dilemma game between siblings.

Keywords

Evolution of altruism; Hamilton's rule; One-shot prisoner's dilemma game

JEL Classification

A13; C70; D64

Comments

We are indebted to an anonymous referee and to Uwe Cantner for helpful comments and suggestions. Partial financial support from the National Institute on Aging (grant RO1-AG13037) and from the Humboldt Foundation is gratefully acknowledged.

Contents

1.	Introduction	1
2.	The game and a general result	2
3.	The rule of imitation, survival, and the outcome: a special case	4
4.	Conclusion	6
Appendix		7
References		8

1. Introduction

Evolutionary biologists have developed a powerful theory of the evolutionary foundations of altruism between relatives. The theory is based on the idea that individuals who are related by blood share genes. Consider a gene that governs a particular behavior. The likelihood that the gene will be replicated is higher when the gene takes into account not only the extra reproductive opportunities that the behavior confers on the host who carries the gene but also the extra reproductive opportunities that the behavior confers on relatives of the host who also carry the gene. William Hamilton, the pioneer of this theory, describes it as follows: "The social behavior of a species evolves in such a way that in each distinct behaviorevoking situation the individual will seem to value his neighbor's fitness against his own according to the coefficients of relationship appropriate to that situation" (Hamilton 1964, p.19). The coefficient of relationship between two individuals is the probability that a randomly selected gene in one of these individuals will have an exact copy located in the other individual as a result of descent from a common ancestor. In the case of a haploid population in which each parent has a single gene for being altruistic or selfish and mating is monogamous, the coefficient of relationship between two siblings is ¹/₂.

"Hamilton's rule" is that altruism will spread in a population if the benefit obtained from giving times the coefficient of relationship exceeds the cost of giving. If *c* is the cost to oneself of helping a sibling, and *b* is the benefit to a sibling from receiving help, altruism will spread if $b \cdot \frac{1}{2} > c$, that is, if the benefit obtained from help exceeds twice the cost of helping.

The purpose of this paper is to complement the large and important literature that followed Hamilton's pioneering articles, both in evolutionary biology (notably Dawkins (1976), Grafen (1984), and Wilson (1987)) and beyond (Axelrod (1984), Hofbauer and Sigmund (1988), Binmore and Samuelson (1992), and Nowak and May (1992)), with a formal game-theoretic proof of Hamilton's rule. Building on Bergstrom and Stark (1993), Bergstrom (1995), and Stark (1999), this paper provides a proof of the rule for a simple case of siblings.

In evolutionary economics, the study of altruism is motivated by two questions: where does altruism come from and what does it give rise to. The incentive to explore inclinations is not independent, however, from the density of implications. If the motivation to produce, the propensity to redistribute, and the tendency to accumulate and transfer - within families, societies, and across generations – matter both for individual well-being and for social welfare, and if these processes are governed or significantly affected by the incidence and intensity of altruism as a trait, we would like to find out how the trait evolves. The interest in economics, and beyond, in the evolution, survival, and extinction of institutions of various types cannot be orthogonal to the interest in the prevalence and intensity of altruism if altruism gives rise to patterns and predispositions that completely or partially substitute for institutional mandates, impinge on the design of institutes, crowd out their roles, or render their mission superfluous. All the more so when there is a close correspondence between altruism and cooperation.¹ Since altruism is practiced and manifested socially, it is natural to start the search for its prevalence and origins in small social groupings such as the family. It is more likely that altruism will pervade large groupings such as the population at large if it evolves between siblings than if it fails to gain a foothold even within families.

2. The game and a general result

In each period there is an old generation and a young generation. A fraction of the old generation consists of altruists, a complementary fraction consists of nonaltruists. Members of the old generation are matched with uniform probabilities into pairs. Each pair breeds two children. The children constitute the young

¹ The inquiry pursued in this paper relates to the study of institutions in yet another way. Schelling (1960, 1971, 1978) has shown how the interactions of individuals in environments characterized by bounded rationality and imperfect information coalesce over time into customs, norms, and institutions that govern economic and social life. Schelling's pioneering work was recently supplemented significantly by Young's study of economic and social institutions. To Young (1998) an institution is an established law, custom, usage, practice, organization. (Examples of institutions are aplenty: rules of the road, time of lunch, patterns of marriage, forms of economic contracts.) Young develops a theory that predicts how institutions evolve and characterizes their welfare properties. Viewing Hamilton's rule as an institution places this paper's inquiry in that research vein.

generation. The two siblings play a one-shot prisoner's dilemma game with each other. A sibling can help the other sibling at a cost to himself. Let *c* be the cost to a sibling of helping a sibling, and let *b* be the benefit to the sibling who receives the help, b>c>0. We obtain the following payoff matrix:

Column Sibling

CDRow SiblingCb-c,b-c-c,bDb,-c0,0

where playing *C* stands for providing help and playing *D* stands for not offering help. A sibling who plays *C* is altruistic, a sibling who plays *D* is nonaltruistic. To see this suppose the column sibling selects *C*. If the row sibling selects *C* rather than *D*, he give up *b* to receive the smaller b-c, whereas the column sibling gains since he receives b-c which is larger than -c. Suppose, alternatively, that the column sibling selects *D*. Again, if the row sibling selects *C* rather than *D*, his payoff declines (by *c*), while the column sibling's payoff rises (by *b*). This defines altruism: giving up something for the sake of another. Thus, throughout the rest of this paper we identify altruism with playing cooperate in the one-shot prisoner's dilemma game.

Let (p, 1-p) denote the mixed strategy in which the row sibling plays *C* with probability *p*; and let (q, 1-q) denote the mixed strategy in which the column sibling plays *C* with probability *q*. Then, for any given (p, q), the expected payoffs of the row and column siblings are qb - pc and pb - qc, respectively. Let p_1 and p_0 be the probabilities that the row sibling plays *C* if the column sibling plays *C* and *D*, respectively. We now provide a game-theoretic proof of Hamilton's rule for a simple case of siblings.

Proposition (Hamilton's rule): If c is the cost to oneself of helping a sibling, and b is the benefit to a sibling from receiving help, altruism will spread if $b \cdot (p_1 - p_0) > c$, that is, $p_1 - p_0$ is the equivalent of the coefficient of relationship. *Proof*: Cooperation will be globally stable if the expected payoff of a randomly selected cooperator child is larger than the expected payoff of a randomly selected defector child. Without loss of generality, we randomly select the column sibling. The expected payoff of a randomly selected cooperator column sibling is p_1b-c since $(p,q)=(p_1,1)$, and the expected payoff of a randomly selected defector column sibling is p_0b since $(p,q)=(p_0,0)$. Hence, cooperation will be globally stable if $p_1b-c > p_0b$, yielding the statement of the proposition. □

3. The rule of imitation, survival, and the outcome: a special case

We assume that how a child plays, C or D, is determined through the imitation of his parents, and that each child imitates one of his parents with equal probabilities. The probability that a child survives to reproduce (to have his own children) is proportional to the payoff in the game. For example, consider a case in which the payoff positively influences the probability of reaching maturity and of being able to procreate.

Let *x* be the proportion of cooperative parents, and let 1-x be the proportion of defector parents.

Claim 1: The probability that a randomly chosen child is a cooperator is x.

Proof: Let *N* be the number of individuals in the old generation. Hence, the number of parent pairs is $\frac{N}{2}$. Cooperator children come either from cooperator-cooperator parent pairs or from cooperator-defector parent pairs. The number of cooperator-cooperator marriages is $\frac{N}{2}x^2$. All $\frac{N}{2}x^2 \cdot 2 = Nx^2$ children of these marriages are cooperators. The number of cooperator-defector marriages is $\frac{N}{2}[x(1-x)+(1-x)x]=Nx(1-x)$ which is also

the number of cooperator children produced by such marriages. Hence, the total number of cooperator children is $Nx^2 + Nx(1-x) = Nx$. In a population of *N* children, the probability then that a randomly chosen child is a cooperator is $\frac{Nx}{N} = x$. \Box

- Claim 2: Given that a child is a cooperator, the conditional probability that its sibling is a defector is $\frac{1-x}{2}$.
- *Proof*: A cooperator-defector pair of children results from a mixed marriage. Half of these Nx(1-x) marriages produce mixed sibling pairs. The number of cooperating children in the mixed sibling pairs from these marriages is $\frac{1}{2}Nx(1-x)$. As already shown, the total number of cooperator children is Nx. Given that a child is a cooperator, the conditional probability that its $\frac{1}{2}Nx(1-x)$.

sibling is a defector is
$$\frac{\frac{1}{2}Nx(1-x)}{Nx} = \frac{1-x}{2}$$
.

Given that a child is a cooperator, the conditional probability that its sibling is a cooperator is the complementary probability $1 - \frac{1-x}{2} = \frac{1+x}{2}$.

By replacing x for 1-x we get that given that a child is a defector, the conditional probability that its sibling is a cooperator is $\frac{x}{2}$. (Given that a child is a defector, the conditional probability that its sibling is a defector is the complementary probability $1-\frac{x}{2}$.)

Claim 3: Cooperation will be globally stable if b > 2c.

Proof: Since in this case $p_1 = \frac{1+x}{2}$ and $p_0 = \frac{x}{2}$, the claim follows from the proposition.

Evolutionary biologists refer to "inclusive fitness" of an individual. In the present model the inclusive fitness of a cooperator parent is the expected payoff of a randomly selected cooperator child, and the inclusive fitness of a defector parent is the expected payoff of a randomly selected defector child. The inclusive fitness of a cooperator is larger than the inclusive fitness of a defector, and cooperation is globally stable if the benefit to a child from playing cooperate (helping). \Box

4. Conclusion

We have shown that in a simple case of siblings, Hamilton's rule can be derived as the outcome of a prisoner's dilemma game between siblings. We employed several simplifying assumptions. These may be relaxed. For example, the formation of couples can be more selective than random. As shown in the Appendix, however, this change will only strengthen the case for cooperation.

Appendix

To substantiate the claim that a non-random formation of couples will only strengthen the case for cooperation, note that if matching is purely (positively) assortative, the fractions of cooperator marriages and defector marriages are, respectively, *x* and 1-*x*. To allow matching patterns that are intermediate between the polar cases of purely random matching and purely assortative matching, we define a parameter *m* where $0 \le m \le 1$, such that when matching is purely random m = 0, and when matching is purely assortative m = 1. The number of cooperator-cooperator marriages is then $\frac{N}{2}[x^2 + mx(1-x)]$, and the number of cooperator-defector marriages is N(1-m)x(1-x).

It follows that the probability that a randomly chosen child is a cooperator is *x*; given that a child is a cooperator, the conditional probability that its sibling is a defector is $(1-m)\frac{1-x}{2}$; given that a child is a cooperator, the conditional probability that its sibling is a cooperator is $1-(1-m)\frac{1-x}{2}$; and given that a child is a defector, the conditional probability that its sibling is a cooperator is $(1-m)\frac{x}{2}$. (Given that a child is a defector is $(1-m)\frac{x}{2}$.) Since in this case $p_1 = 1-(1-m)\frac{1-x}{2}$ and $p_0 = (1-m)\frac{x}{2}$, it follows from the proposition that cooperation will be globally stable if $b\left[1-(1-m)\frac{1-x}{2}-(1-m)\frac{x}{2}\right] > c$ that is, if b(1+m) > 2c.

References

Axelrod, Robert. 1984. The Evolution of Cooperation. New York: Basic Books.

- Bergstrom, Theodore C. 1995. "On the Evolution of Altruistic Ethical Rules for Siblings." *American Economic Review* 85, pp. 58-81.
- Bergstrom, Theodore C. and Stark, Oded. 1993. "How Altruism Can Prevail in an Evolutionary Environment." *American Economic Review* 83, pp. 149-155.
- Binmore, Kenneth G. and Samuelson, Larry. 1992. "Evolutionary Stability in Repeated Games Played by Finite Automata." *Journal of Economic Theory* 57, pp. 278-305.
- Dawkins, Richard. 1976. The Selfish Gene. New York: Oxford University Press.
- Grafen, Alan. 1984. "Natural Selection, Group Selection and Kin-Selection." In L.R. Kreps and N.B. Davis, eds. *Behavioral Ecology: An Evolutionary Approach*. Oxford: Blackwell Scientific.
- Hamilton, William D. 1964. "The Genetical Evolution of Social Behavior." Parts I and II. *Journal of Theoretical Biology* 7, pp. 1-52.
- Hofbauer, Josef and Sigmund, Karl. 1988. *The Theory of Evolution and Dynamical Systems*. Cambridge: Cambridge University Press.
- Nowak, M. A. and May, R. M. 1992. "Evolutionary Games and Spatial Chaos." *Nature* 359, pp. 826-829.
- Schelling, Thomas C. 1960. *The Strategy of Conflict*. Cambridge, MA: Harvard University Press.
- Schelling, Thomas C. 1971. "Dynamic Models of Segregation." Journal of Mathematical Sociology 1, pp. 143-186.
- Schelling, Thomas C. 1978. Micromotives and Macrobehavior. New York: Norton.
- Stark, Oded. 1999. "Siblings, Strangers, and the Surge of Altruism." *Economics Letters* 65, pp. 135-142.
- Wilson, D. S. 1987. "Altruism in Mendelian Populations Derived from Sibling Groups: The Haystack Model Revised." *Evolution* 41, pp. 1059-1070.
- Young, H. Peyton. 1998. Individual Strategy and Social Structure: An Evolutionary Theory of Institutions. Princeton: Princeton University Press.

Authors: Oded Stark, You Qiang Wang

Title: On the Evolutionary Edge of Altruism: A Game-Theoretic Proof of Hamilton's Rule for a Simple Case of Siblings

Reihe Ökonomie / Economics Series 139

Editor: Robert M. Kunst (Econometrics) Associate Editors: Walter Fisher (Macroeconomics), Klaus Ritzberger (Microeconomics)

ISSN: 1605-7996

© 2003 by the Department of Economics and Finance, Institute for Advanced Studies (IHS), Stumpergasse 56, A-1060 Vienna • 🖀 +43 1 59991-0 • Fax +43 1 59991-555 • http://www.ihs.ac.at